

# **Price list of GASCADE Gastransport GmbH** **for the use of the national Gas Pipeline Network**

for shippers and network operators  
for the use as of January 1<sup>st</sup> 2021

## **Transmission services**

<b>I.</b>	<b>Tariffs.....</b>	<b>2</b>
I.1.	Tariffs for standard annual capacities .....	2
I.2.	Tariffs for storage .....	6
I.3.	Tariffs for interruptible capacities.....	7
I.4.	Tariffs for dynamically assignable capacities.....	8
I.5.	Tariffs for conditionally firm and free assignable capacities .....	8
I.6.	Tariffs for capacity with term of less than a year and within day .....	8
I.7.	Interruptible within-day capacity through over-nomination .....	9
I.8.	Capacity overrun .....	9
I.9.	Exceeding of internal order.....	9

## **System-related services**

<b>II.</b>	<b>Tariffs for measuring and operation of measuring stations ..</b>	<b>9</b>
<b>III.</b>	<b>Biogas levy.....</b>	<b>10</b>
<b>IV.</b>	<b>Market area conversion levy .....</b>	<b>10</b>
<b>V.</b>	<b>Fee for Nomination Replacement Procedure.....</b>	<b>10</b>
V.1	Set-Up Fee.....	11
V.2	Monthly Fee .....	11

The basis for the calculation and application of the following network tariffs to be charged from 01.01.2021 are the Bundesnetzagentur's decisions on the Reference price method to be applied in the GASPOOL market area (REGENT-GP (BK9-18 / 611-GP) / AMELIE (BK9-18 / 607)). These decisions are based on the requirements of Regulation (EU) 2017/460 (NC TAR). According to Article 32 NC TAR, the information on the reserve prices for the cross-border and market area interconnection points as well as the storage connection points for 2021 should be published. The reserve prices are already reflected in this preliminary price list. Against the above-mentioned decisions of the Bundesnetzagentur the complaints were filed with the Higher Regional Court of Düsseldorf. Therefore, the following network tariffs are subject to a deviating judicial or administrative ruling and as a result may be adjusted both for the future and retroactively. In this case, GASCADE reserves the right to make a short-term adjustment to the following network tariffs.

The definitions of the General Terms & Conditions for Entry/Exit Contracts of GASCADE in the relevant version (hereinafter referred to as "GTC") shall apply.

## **I. Tariffs**

### **I.1. Tariffs for standard annual capacities**

The

- specific tariff for firm and free assignable Capacities in accordance with section 9 (1) lit. a, b, c, d GTC at entry and exit points with a booking period of 365 coherent days resp. 366 coherent days in a leap year and
- tariff for the actual internal order of downstream network operators in accordance with section 18 of the „Kooperationsvereinbarung zwischen den Betreibern von in Deutschland gelegenen Gasversorgungsnetzen“ in the relevant version (hereinafter referred to as "KoV")

arise from the following table:

Tariffs for standard annual capacities in GASPOOL market area				
(Firm and free assignable capacities with a booking period of a coherent year)				
Grid points	Grid point-ID	Flow direction	Type of grid point	EUR/(kWh/h)/a
Zone OGE	11C+	Entry	Entry zone – interconnection point	3.32
Bunde	1632	Entry	Interconnection point - international	3.32
Jemgum I	1BMA	Entry	Storage	0.83
Jemgum III	1BRA	Entry	Storage	0.83
Nüttormoor	1BQA	Entry	Storage	0.83
Gernsheim	1ULA	Entry	Interconnection point - transmission system operator	3.32
Frankenthal Nord	1VCA	Entry	Interconnection point - distribution system operator	3.32
Brandov-STEAGAL	2731	Entry	Interconnection point - international	3.32
VIP Brandov-GASPOOL	273+	Entry	VIP; Interconnection point - international	3.32
Sp. Rehden	3070	Entry	Storage	0.83
Mallnow	6800	Entry	Interconnection point - international	3.32
Nonnendorf	6BUA	Entry	Biogas	0.00
Bobbau	6CZA	Entry	Storage	0.83
Fuchswinkel	7DHA	Entry	Biogas	0.00
Eynatten	8950	Entry	Interconnection point - international	3.32
BGEA Wörth	OCFD	Entry	Biogas	0.00
Drohne NOWAL	94AZA	Entry	Interconnection point - transmission system operator	3.32
Lubmin II	95000	Entry	Interconnection point - international	3.32

Grid points	Grid point-ID	Flow direction	Type of grid point	EUR/(kWh/h)/a
Ostpfalz	01A+	Exit	Exit zone	3.32
TW Ludwigshafen	0AAA	Exit	Interconnection point - distribution system operator	3.32
Wörth	0CF+	Exit	Exit zone	3.32
Karlsruhe-Maxau	0CFC	Exit	End consumer	3.32
RMN	11A+	Exit	Exit zone	3.32
Hameln	11B+	Exit	Exit zone	3.32
Zone OGE	11C+	Exit	Exit zone	3.32
Bunde	1632	Exit	Interconnection point - international	3.32
Jemgum I	1BMA	Exit	Storage	0.83
Jemgum III	1BRA	Exit	Storage	0.83
Jemgum IV	1BMB	Exit	End consumer	3.32
Nüttormoor	1BQA	Exit	Storage	0.83
SW Bünde	1FZA	Exit	Interconnection point - distribution system operator	3.32
SW Lemgo	1GZA	Exit	Interconnection point - distribution system operator	3.32

# Price list of GASCADE Gastransport GmbH

for the use as of January 1<sup>st</sup>, 2021



Grid points	Grid point-ID	Flow direction	Type of grid point	EUR/(kWh/h)/a
Warburg I	1IMA	Exit	Interconnection point - distribution system operator	3.32
Großenritte	1LLA	Exit	Interconnection point - distribution system operator	3.32
Baunatal	1LMA	Exit	End consumer	3.32
Malsfeld-Ostheim	1LZA	Exit	Interconnection point - distribution system operator	3.32
SW Hünfeld	1NFA	Exit	Interconnection point - distribution system operator	3.32
Reckrod II	1NLA	Exit	Interconnection point - distribution system operator	3.32
Wirtheim	1RZA	Exit	Interconnection point - distribution system operator	3.32
Jügesheim II	1SEA	Exit	Interconnection point - distribution system operator	3.32
Gernsheim	1ULA	Exit	Interconnection point - transmission system operator	3.32
GGEW	1UXB	Exit	Interconnection point - distribution system operator	3.32
Bensheim	1UZX	Exit	Interconnection point - distribution system operator	3.32
SW Weinheim	1UZZ	Exit	Interconnection point - distribution system operator	3.32
Worms Süd	1VCD	Exit	Interconnection point - distribution system operator	3.32
Mörsch-West	1VCF	Exit	Interconnection point - distribution system operator	3.32
Lampert-heim IV	1VLA	Exit	Interconnection point - transmission system operator	3.32
SW Lampert-heim	1VNA	Exit	Interconnection point - distribution system operator	3.32
Mannheim I	1VTA	Exit	End consumer	3.32
Mannheim II	1VTB	Exit	End consumer	3.32
Ludwigshafen	1VZA	Exit	End consumer	3.32
Suedsachsen	22A+	Exit	Exit zone	3.32
VIP	273+	Exit	VIP; Interconnection point - International	3.32
Brandov-GASPOOL	2BZA	Exit	Interconnection point - distribution system operator	3.32
Chemnitz-Stelzendorf	2CXA	Exit	End consumer	3.32
SW Crimmit-schau	2EEA	Exit	Interconnection point - distribution system operator	3.32
SW Werdau	2EFA	Exit	Interconnection point - distribution system operator	3.32
Gera-Gor-litzschberg	2EZA	Exit	Interconnection point - distribution system operator	3.32
Stadtroda II	2FZA	Exit	Interconnection point - distribution system operator	3.32
Wölfershau-sen	2LXL	Exit	Interconnection point - distribution system operator	3.32
Sp. Rehden	3070	Exit	Storage	0.83
Glauchau	52A+	Exit	Exit zone	3.32
Altenburg	55A+	Exit	Exit zone	3.32
SW Mee-rane	5AKA	Exit	Interconnection point - distribution system operator	3.32

# Price list of GASCADE Gastransport GmbH

for the use as of January 1<sup>st</sup>, 2021

Grid points	Grid point-ID	Flow direction	Type of grid point	EUR/(kWh/h)/a
Mallnow	6800	Exit	Interconnection point - international	3.32
Kienbaum	6AQA	Exit	Interconnection point - transmission system operator	3.32
Bobbau	6CZA	Exit	Storage	0.83
Rotenburg-Boetersen	7CZA	Exit	Interconnection point - distribution system operator	3.32
Heidenau SH	7FRA	Exit	Interconnection point - distribution system operator	3.32
Heidenau HH	7GZA	Exit	Interconnection point - distribution system operator	3.32
Lippstadt	88A+	Exit	Exit zone	3.32
Monheim	88B+	Exit	Exit zone	3.32
Eynatten	8950	Exit	Interconnection point - international	3.32
Hillegossen	8AFA	Exit	End consumer	3.32
Bielefeld (KOWI)	8AFC	Exit	End consumer	3.32
Gütersloh-Verl	8AZA	Exit	Interconnection point - distribution system operator	3.32
SW Soest	8CLA	Exit	Interconnection point - distribution system operator	3.32
Hagen-Boele	8ERB	Exit	End consumer	3.32
Herdecke 1	8EUA	Exit	End consumer	3.32
Herdecke 2	8EUB	Exit	End consumer	3.32
Wuppertal-Hohenhagen	8FZA	Exit	Interconnection point - distribution system operator	3.32
Rath	8GWA	Exit	End consumer	3.32
Ratingen	8GWB	Exit	Interconnection point - distribution system operator	3.32
Uerdingen	8GZA	Exit	Interconnection point - distribution system operator	3.32
Leverkusen	8IRB	Exit	Interconnection point - distribution system operator	3.32
Neuss	8IZB	Exit	End consumer	3.32
Dormagen	88I+	Exit	Exit zone	3.32
Chempark H	8IRD	Exit	End consumer	3.32
Köln-Merkenich II	8KLA	Exit	End consumer	3.32
Frechen	8KLC	Exit	End consumer	3.32
Kalscheuren	8KLD	Exit	End consumer	3.32
Wesseling I	8KLE	Exit	End consumer	3.32
Hürth	8KLF	Exit	End consumer	3.32
Wesseling II	8KLG	Exit	End consumer	3.32
Frechen-Rhein-Erft	8KLH	Exit	End consumer	3.32
Godorf	8MLA	Exit	End consumer	3.32
Weisweiler	8MVA	Exit	Interconnection point - transmission system operator	3.32
Broichweiden Süd	88M+	Exit	Exit zone	3.32
Aachen Süd	94AZA	Exit	Interconnection point - transmission system operator	3.32
Drohne NO-WAL	2730	Exit	Interconnection point - international	3.32

## Price list of GASCADE Gastransport GmbH

for the use as of January 1<sup>st</sup>, 2021



Grid points	Grid point-ID	Flow direction	Type of grid point	EUR/(kWh/h)/a
Deutschneudorf EUGAL Brandov	95HZA	Exit	Interconnection point - international	3.32

Additional to the tariffs at some grid points fees for measuring, invoicing and operation of measuring stations in accordance with section II, the specific biogas levy in accordance with section III and the market area conversion levy in accordance with section IV will be charged.

### I.2. Tariffs for storage

In accordance with (2) of the operative part of the Decision of the Bundesnetzagentur regarding the regular determination of the Reference price method (hereinafter referred to as „REGENT-GP“) of 29.03.2019 (BK9-18/611-GP), tariffs for capacities at storages should principally get a discount of 75%, based on the tariff determined by the Reference price method in accordance REGENT-GP and as determined by NC TAR. The tariffs for storages, shown under section I.1., includes already the 75 % tariff discount for storages.

Notwithstanding the above, storages allowing access to more than one market area or a neighboring country are treated different. In pursuance of REGENT-GP, GASCADE Gastransport GmbH is obligated to designate a non-discounted tariff for these storages.

Only if the particular storage operator complies with the conditions stated in (II) of the reasoning in connection with (2) of the operative part of REGENT-GP towards GASCADE Gastransport GmbH, GASCADE Gastransport GmbH is obligated to designate a discounted tariff.

If one or more conditions stated above are not being fulfilled during the year 2021, GASCADE Gastransport GmbH is obligated to offer only a non-discounted tariff at the affected grid point.

The discounted and non-discounted tariffs for the affected grid points are:

Grid point	Grid point-ID	Flow direction	EUR/(kWh/h)/a discounted	EUR/(kWh/h)/a non-discounted
Jemgum I	1BMA	Entry	0.83	3.32
Jemgum III	1BRA	Entry	0.83	3.32
Jemgum I	1BMA	Exit	0.83	3.32
Jemgum III	1BRA	Exit	0.83	3.32

### I.3. Tariffs for interruptible capacities

The tariff for interruptible capacities in accordance with section 9 (1) GTC amounts to 90% of the tariff for firm capacity as per section I.1. This does also apply for interruptible internal order in accordance with section 11 (8) KoV.

Deviating from sentence 1, the tariff for interruptible capacity products in accordance with 9 (1) GTC amounts, at the following grid connection points, to 89% ("Discount factor 0,89") of the tariff for firm capacity as per section I.1. ("Discount factor 0,9 in the below table" corresponds to 90% of the tariff for firm capacity):

Grid point	Grid point-ID	Flow direction	Discount factor for interruptible capacities				
			Year	Quarter	Month	Day	Within-Day
VIP Brandov-Gaspool	273+	Exit	0,9	0,89	0,89	0,89	0,89
Deutschneudorf EUGAL Brandov	95HZA	Exit	0,9	0,89	0,89	0,89	0,89
Olbernhau II	2730	Exit	0,9	0,89	0,89	0,89	0,89
Eynatten	8950	Exit	0,9	0,89	0,89	0,89	0,89
Bunde	1632	Exit	0,9	0,9	0,89	0,89	0,89
Bunde	1632	Entry	0,9	0,9	0,9	0,9	0,89
Lubmin II	95000	Entry	0,9	0,9	0,9	0,89	0,89
Gernsheim	1ULA	Exit	0,89	0,89	0,89	0,89	0,89
Lampertheim IV	1VLA	Exit	0,89	0,89	0,89	0,89	0,89
Kienbaum	6AQA	Exit	0,89	0,89	0,89	0,89	0,89
Broichweiden Süd	8MVA	Exit	0,89	0,89	0,89	0,89	0,89
Zone OGE	11C+	Exit	0,89	0,89	0,89	0,89	0,89
Drohne NOWAL	94AZA	Exit	0,89	0,89	0,89	0,89	0,89

At the following grid points interruptible capacity is bookable as reverse flow in accordance with section 9 (4) GTC:

Grid points	Grid point-ID	Flow direction	Type of grid point	EUR/(kWh/h)/a
Lampertheim IV	1VLA	Entry	Interconnection point - Transmission system operator	3.32
Kienbaum	6AQA	Entry	Interconnection point - Transmission system operator	3.32
Broichweiden Süd	8MVA	Entry	Interconnection point - Transmission system operator	3.32

The tariff amounts to 90% in the table mentioned tariff for firm capacity which cannot be offered at these grid points.

#### I.4. Tariffs for dynamically assignable capacities

The tariff for dynamically assignable capacities in accordance with section 1 of the supplementary Terms & Conditions of GASCADE (Appendix GTC 2) amounts to 90% of the tariff for firm capacity as per section I.1. Dynamically assignable capacities will be published separately.

At the following grid point dynamically assignable capacity is bookable as reserve flow in accordance with section 9 (4) GTC:

Grid points	Grid point-ID	Flow direction	Type of grid point	EUR/(kWh/h)/a
Kienbaum	6AQA	Entry	Interconnection point - transmission system operator	3.32

The tariff amounts to 90% in the table mentioned tariff for firm capacity.

#### I.5. Tariffs for conditionally firm and free assignable capacities

The tariff for conditionally firm and free assignable capacities in accordance with section 3a of the supplementary Terms & Conditions of GASCADE (Appendix GTC 2) amounts to 90% of the tariff for firm capacity as per section I.1.

#### I.6. Tariffs for capacity with term of less than a year and within day

The tariff for firm and free assignable capacities in accordance with section I.1 – I.5 with terms of less than year derives from the multiplication of the tariffs for standard annual capacities as per section I.1 – I.5 with a proportional volume of  $\frac{1}{365}$  for every booked day resp.  $\frac{1}{366}$  for every booked day in a leap year.

The network tariff for intraday capacities is calculated by the multiplication of the network tariffs for standard annual capacities pursuant to sub item I.1. - I.5. with a proportional volume of 1/8.760 for every booked hour or 1/8.784 for every booked hour in a leap year.

The proportional value, as resulting pursuant to sentence 1 and 2, must be multiplied in accordance with the guidelines of the Bundesnetzagentur decisions MARGIT 2021 (BK9-19/612) und BEATE 2.0 (BK9-18/608) with the following multipliers, depending on the run-time of the booked capacity:

Run-time in days	Product classification according to MARGIT 2021 and BEATE 2.0	Multiplier
0 to 1	within day product	2.0
1 to 27	daily product	1.4
28 to 89	monthly product	1.25
90 to 364	quarterly product	1.1



The tariff for interruptible internal orders, especially in case of adjustments in accordance with section 15 KoV, is calculated in the same way as described above.

### **I.7. Interruptible within-day capacity through over-nomination**

For interruptible within-day capacity through over-nomination is the respective within-day tariff on an hourly basis to be applied. Interruptible within-day capacity through over-nomination on the delivery day is effective with a lead time of 2 hours prior to the booked hour. Interruptible capacity through over-nomination before the delivery day is effective starting from 6 a.m. of the delivery day. In the both cases, the term of an interruptible within-day capacity through over-nomination expires with the end of the delivery day.

### **I.8. Capacity overrun**

If a customer exceeds the ordered capacity in an hour of a day, a contractual penalty in accordance with Section 30 (4) of the GTC will be charged. This contractual penalty amounts to the fourfold of the regular tariff for the respective day at the affected grid point, as it is shown in this price list.

### **I.9. Exceeding of internal order**

If a network operator exceeds the ordered capacity in an hour of a day, the exceeding will be charged in accordance with section 18 section (6) KoV. The provisions as per section 18 (7) KoV remain unaffected. This contractual penalty in accordance with section 18 (7) amounts to the fourfold of the regular tariff for the respective day at the affected grid point, as it is shown in this price list.

## **II. Tariffs for measuring and operation of measuring stations**

Costs for measuring and operating of the measuring station according to Art. 4, Par. 7 NC TAR in connection with (7) of the operative part of REGENT-GP will be charged at the following exit points:

<b>Grid points</b>	<b>Grid point-ID</b>	<b>Flow direction</b>	<b>Costs for measuring EUR/(kWh/h)/a</b>	<b>Costs for operating of the measuring station EUR/(kWh/h)/a</b>
Wörth	0CFA	Exit	0.02747	0.17803
Karlsruhe-Maxau	0CFC	Exit	0.02747	-*
RMN	11A+	Exit	0.02747	0.17803
Baunatal	1LMA	Exit	0.02747	-*
SW Weinheim	1UZZ	Exit	0.02747	0.17803
Worms	1VCC	Exit	0.02747	0.17803

Grid points	Grid point-ID	Flow direction	Costs for measuring EUR/(kWh/h)/a	Costs for operating of the measuring station EUR/(kWh/h)/a
Mannheim I	1VTA	Exit	0.02747	0.17803
Mannheim II	1VTB	Exit	0.02747	-*
Ludwigshafen	1VZA	Exit	0.02747	-*
Hillegossen	8AFA	Exit	0.02747	0.17803
Hagen-Boele	8ERB	Exit	0.02747	-*
Herdecke 1	8EUA	Exit	0.02747	-*
Herdecke 2	8EUB	Exit	0.02747	-*
Rath	8GWA	Exit	0.02747	-*
Neuss	8IZB	Exit	0.02747	-*
Frechen	8KLA	Exit	0.02747	-*
Kalscheuren	8KLC	Exit	0.02747	-*
Wesseling I	8KLD	Exit	0.02747	-*
Hürth	8KLE	Exit	0.02747	-*
Wesseling II	8KLF	Exit	0.02747	-*
Frechen-Rhein-Erft	8KLG	Exit	0.02747	-*
Godorf	8KLH	Exit	0.02747	-*

\*) At these Grid points the measuring stations aren't owned by GASCADE. If the measuring service is provided at these grid points by GASCADE, the actual expenses will be charged directly to the owner of the measuring station.

### III. Biogas levy

The specific biogas levy to be paid in addition to the tariffs amounts to 0.6250 EUR/(kWh/h)/a in 2021. It is charged at all exit points with exception of border- and market area interconnection points and storage points.

### IV. Market area conversion levy

The specific market area conversion levy in Germany, to be paid in addition to the tariffs, amounts to 0.7291 EUR/(kWh/h)/a in 2021. It is charged at all exit points with exception of border- and market area interconnection points and storage points.

### V. Fee for Nomination Replacement Procedure

GASCADE shall bill the following fees for the nomination replacement procedure according section 6 Appendix GTC 2.

## V.1 Set-Up Fee

The set-up fee for the nomination replacement procedure pursuant to section 6 (6) of Appendix GTC 2 shall, irrespective of use, be **2,000.00 euros** for each balancing group (or sub-balancing group) into which the capacity for executing the nomination replacement procedure is incorporated in accordance with section 6 (2) Appendix GTC 2. GASCADE shall onetime invoice the set-up fee for the first gas business year together with the first monthly fee in accordance with V.2.

## V.2 Monthly Fee

The monthly fee for the nomination replacement procedure pursuant to section 6 (6) Appendix GTC 2 shall, irrespective of use, be **2,500.00 euros** for each network point in the balancing group (or sub-balancing group), with the exception of the network point for the flexibly controllable source pursuant to section 6 (4) of Appendix GTC 2, into which the capacity for executing the nomination replacement procedure is incorporated in accordance with section 6 (2) Appendix GTC 2. GASCADE shall bill the monthly fee with effect from the 1<sup>st</sup> of each month.

This document is a convenience translation of the German original. In case of discrepancy between the English and the German versions, the German version shall prevail.